

L Number	Hits	Search Text	DB	Time stamp
1	20	increas\$4 near6 size\$1 near10 counter\$1	USPAT;	2002/11/20 08:39
		near10 value\$1	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
6	752	(clear\$4 or reset\$5) near10 counter\$1	USPAT;	2002/11/20 09:05
		near10 (utiliz\$6 or (qos or (qualit\$4	EPO; JPO;]
		near4 service\$1)))	DERWENT; IBM TDB	
7	14	(US-6401121-\$ or US-5913040-\$ or	USPAT	2002/11/20 09:01
'	1 1	US-6463468-\$ or US-6272110-\$ or	John	2002/11/20 03:01
		US-5898673-\$ or US-5434848-\$ or	[
		US-6151644-\$ or US-6002882-\$ or	ļ	
		US-5995488-\$ or US-5797033-\$ or		
		US-5802311-\$ or US-6381240-\$ or		
_		US-6285662-\$ or US-5638360-\$).did.		
8	9	((US-6401121-\$ or US-5913040-\$ or	USPAT;	2002/11/20 09:01
		US-6463468-\$ or US-6272110-\$ or	EPO; JPO;	
		US-5898673-\$ or US-5434848-\$ or US-6151644-\$ or US-6002882-\$ or	DERWENT; IBM TDB	
:		US-5995488-\$ or US-5797033-\$ or	164-106	
		US-5802311-\$ or US-6381240-\$ or		
		US-6285662-\$ or US-5638360-\$).did.) and		
	ĺ	counter\$1		
9	0	((clear\$4 or reset\$5) near10 counter\$1	USPAT;	2002/11/20 09:02
		near10 (utiliz\$6 or (qos or (qualit\$4	EPO; JPO;	
		near4 service\$1)))) and ((US-6401121-\$ or	DERWENT;	
		US-5913040-\$ or US-6463468-\$ or	IBM_TDB	
		US-6272110-\$ or US-5898673-\$ or		
		US-5434848-\$ or US-6151644-\$ or US-6002882-\$ or US-5995488-\$ or		
		US-5797033-\$ or US-5802311-\$ or		
		US-6381240-\$ or US-6285662-\$ or		1
		US-5638360-\$).did.)		
10	9	((clear\$4 or reset\$5) near10 counter\$1	USPAT;	2002/11/20 09:21
		near10 (utiliz\$6 or (qos or (qualit\$4	EPO; JPO;	
		near4 service\$1)))) and 709/\$.ccls.	DERWENT;	
			IBM_TDB	•
11	145	• • • · · · · · · · · · · · ·	USPAT;	2002/11/20 09:06
		near10 (level near10 threshold\$1)	EPO; JPO;	
			DERWENT;	
12	7	((clear\$4 or reset\$5) near10 counter\$1	IBM_TDB USPAT;	2002/11/20 09:56
12	,	near10 (level near10 threshold\$1)) and	EPO; JPO;	2002/11/20 09:56
		(709/\$.ccls. or 370/\$.ccls.)	DERWENT;	
		(105,4100201 02 010,4100201,	IBM TDB	,
13	40	(clear\$4 or reset\$5) near10 counter\$1 and	USPAT;	2002/11/20 09:14
	!	(transaction\$4 near5 boundar\$4)	EPO; JPO;	
			DERWENT;	
	_	//-104	IBM_TDB	0000 (11 (00
14	7	((===================================	USPAT;	2002/11/20 09:14
		(transaction\$4 near5 boundar\$4)) and 709/\$.ccls.	EPO; JPO; DERWENT;	
		100/4.0013.	IBM TDB	
15	1953	counter\$1 and (bandwidth near10 utiliz\$6)	USPAT;	2002/11/20 09:21
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
28	199	(counter\$1 and (bandwidth near10	USPĀT;	2002/11/20 09:34
		utiliz\$6)) and 709/\$.ccls.	EPO; JPO;	
			DERWENT;	
20	150	(/	IBM_TDB	0000/11/00 15 15
29	159	,, , ,	USPAT;	2002/11/20 09:22
		utiliz\$6)) and 709/\$.ccls.) and (clear\$4 or reset\$5)	EPO; JPO; DERWENT;	
		OT TESECAS!	IBM TDB	
30	47	((counter\$1 and (bandwidth near10	USPAT;	2002/11/20 09:31
	• ,	utiliz\$6)) and 709/\$.ccls.) and ((clear\$4	EPO; JPO;	
		or reset\$5) near10 counter\$1)	DERWENT;	
i			IBM TDB	

31	206	<pre>count\$5 near10 (reset\$5 or clear\$5) near10 threshold\$1 near10 (above or below)</pre>	USPAT; EPO; JPO;	2002/11/20 09:38
		chiconoray nours (above or need)	DERWENT; IBM_TDB	
32	0	<pre>(count\$5 near10 (reset\$5 or clear\$5) near10 threshold\$1 near10 (above or below)) and 709/\$.ccls.</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/20 10:23
33	10	(count\$5 near10 (reset\$5 or clear\$5) near10 threshold\$1 near10 (above or below)) and 370/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/20 09:34
34	31	<pre>count\$5 near10 (reset\$5 or clear\$5) near10 utiliz\$6 near10 (above or below)</pre>	USPAT; EPO; JPO; DERWENT;	2002/11/20 09:40
50	5065	(clear\$4 or reset\$6) near10 count\$4 near10 (exceed\$4 or above)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/20 09:57
51	279	((clear\$4 or reset\$6) near10 count\$4 near10 (exceed\$4 or above)) and (709/\$.ccls. or 370/\$.ccls.)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/20 09:58
52	420	(clear\$4 or reset\$6) near10 count\$4 near10 (exceed\$4 or above) near10 threshold\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/20 09:57
53	32	near10 (exceed\$4 or above) near10 threshold\$1) and (709/\$.ccls. or	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/20 10:21
54	209	370/\$.ccls.) increment\$4 near10 count\$5 near10 packet\$1 near10 receiv\$5	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/20 10:25
55	47	(increment\$4 near10 count\$5 near10 packet\$1 near10 receiv\$5) and 709/\$.ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/20 10:29
57	134	(clear\$4 or reset\$5) near10 count\$5 near10 packet\$1 near10 receiv\$5	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 10:26
58	25	((clear\$4 or reset\$5) near10 count\$5 near10 packet\$1 near10 receiv\$5) and 709/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/20 10:29
-	2	5913040.pn.	USPĀT; EPO; JPO; DERWENT;	2002/11/19 07:27
-	7	maximum near5 level\$1 near5 bandwidth near5 utiliz\$6	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/18 15:34
-	20	maximum near10 level\$1 near10 bandwidth near10 utiliz\$6	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/18 15:41
-	13	(maximum near10 level\$1 near10 bandwidth near10 utiliz\$6) not (maximum near5 level\$1 near5 bandwidth near5 utiliz\$6)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/18 15:35
-	3	monitor\$4 near10 level\$1 near10 bandwidth near10 utiliz\$6	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/18 15:40

		10410 1101 magnidab	USPAT;	2002/11/18 15:50
-	4	peak\$4 near10 level\$1 near10 bandwidth near10 utiliz\$6	EPO; JPO;	2002/11/16 15:50
		neario utilizato	DERWENT;	
			IBM TDB	
_	57	determin\$6 near10 (max\$5 or peak\$4) near10	USPĀT;	2002/11/18 15:55
		bandwidth near10 (used or utiliz\$6)	EPO; JPO;	
			DERWENT;	
]		IBM_TDB	0000/14/10 15 50
-	7	(determin\$6 near10 (max\$5 or peak\$4)	USPAT;	2002/11/18 15:53
		near10 bandwidth near10 (used or utiliz\$6)) and 709/\$.ccls.	EPO; JPO; DERWENT;	
		utilizad)) and 709/3.ccis.	IBM TDB	
_	6	monitor\$4 near10 (max\$5 or peak\$4) near10	USPAT;	2002/11/19 07:27
	_	bandwidth near10 (used or utiliz\$6)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	58	"5913040"	USPAT;	2002/11/19 13:07
	i		EPO; JPO; DERWENT;	
			IBM TDB	
_	1366	(max or maximum or top or peak) near10	USPAT;	2002/11/19 08:02
	1500	level\$1 near10 utiliz\$6	EPO; JPO;	,,
			DERWENT;	
			IBM_TDB	
-	25	((max or maximum or top or peak) near10	USPAT;	2002/11/19 08:06
		level\$1 near10 utiliz\$6) and 709/\$!.ccls.	EPO; JPO;	
			DERWENT; IBM TDB	
	0	"5913040" and (((max or maximum or top or	USPAT;	2002/11/19 08:11
-		peak) near10 level\$1 near10 utiliz\$6) and	EPO; JPO;	2002/11/15 00:11
		709/\$!.ccls.)	DERWENT;	
		100,110	IBM TDB	
-	121	utiliz\$6 near10 threshold\$1 and	USPAT;	2002/11/19 08:12
		709/\$.ccls.	EPO; JPO;	
			DERWENT;	
	_	(utiliz\$6 near10 threshold\$1) and	IBM_TDB USPAT;	2002/11/19 08:14
-) 5	709/\$.ccls. and ((max or maximum or top or	EPO; JPO;	2002/11/19 00.14
		peak) near10 level\$1 near10 utiliz\$6)	DERWENT;	
		Poun, 1100000 00100 110000 110000 110000	IBM TDB	
_	121	(utiliz\$6 near10 threshold\$1) and	USPĀT;	2002/11/19 08:25
		709/\$.ccls.	EPO; JPO;	
	1		DERWENT;	
	.,	(IBM_TDB USPAT;	2002/11/19 09:24
· -	11	(max or maximum or peak or top) near5 monitor\$4 near5 level\$1 near10 (bandwidth	EPO; JPO;	2002/11/19 09.24
!		or utiliz\$6)	DERWENT;	
	,		IBM TDB	
_	11		USPAT;	2002/11/19 09:35
l		monitor\$4 near10 level\$1 near10 (bandwidth	EPO; JPO;	
		or utiliz\$6) not ((max or maximum or peak	DERWENT;	
		or top) near5 monitor\$4 near5 level\$1	IBM_TDB	
_	15	near10 (bandwidth or utiliz\$6)) threshold near10 level\$1 near10 utiliz\$6	USPAT;	2002/11/19 09:54
_	13	near10 bandwidth	EPO; JPO;	2002/11/17 09.54
		1100110 20110112011	DERWENT;	
			IBM_TDB	
_	1	(,====================================	USPĀT;	2002/11/19 10:01
		or SLA) near10 (threshold) near10	EPO; JPO;	
		bandwidth	DERWENT;	
	10	(god on (gualités nouve commissés)) nouve	IBM_TDB USPAT;	2002/11/19 10:02
_	10	(qos or (qualit\$4 near5 service\$1)) near10 (threshold) near10 bandwidth	EPO; JPO;	2002/11/15 10:02
		(Circonota) hearto banawiach	DERWENT;	
			IBM_TDB	
-	6	1 ** * * * * * * * * * * * * * * * * *	USPĀT	2002/11/19 13:05
		US-6463468-\$ or US-6272110-\$ or		
L		US-5898673-\$ or US-5434848-\$).did.	<u> </u>	

ſ <u>-</u>	1	((US-6401121-\$ or US-5913040-\$ or	USPAT;	2002/11/19 13:05
-	_	US-6463468-\$ or US-6272110-\$ or US-5898673-\$ or US-5434848-\$).did.) and	EPO; JPO; DERWENT;	2002/11/13 13:03
		counter\$1	IBM TDB	
_	8	"5913040" and counter\$2	USPAT;	2002/11/19 13:09
			EPO; JPO;	
			DERWENT;	
	400	size\$1 near10 (packet\$1 or segment\$1 or	IBM_TDB USPAT;	2002/11/19 13:12
_	400	cell\$1) near10 counter\$2	EPO; JPO;	2002/11/13 13.12
		001141/ 1104110 004110141	DERWENT;	
			IBM_TDB	
-	29		USPAT;	2002/11/19 14:00
		cell\$1) near10 counter\$2) and 709/\$.ccls.	EPO; JPO; DERWENT;	
			IBM TDB	
_	8	increment\$4 near10 counter near10 receiv\$4	USPAT;	2002/11/19 13:32
		near10 (packet\$1 or cell\$1 or segment\$1 or	EPO; JPO;	
		portion\$1) near10 network\$4	DERWENT;	
	1007	size\$1 near10 value\$1 near10 counter\$1	IBM_TDB USPAT;	2002/11/19 13:33
_	1227	217631 Heatin Authori Heatin Conficetal	EPO; JPO;	2002/11/19 13:33
			DERWENT;	
			IBM_TDB	
_	47		USPAT;	2002/11/19 13:52
		709/\$!.ccls.	EPO; JPO;	
			DERWENT;	
_	0	size\$1 near10 (packet\$1 or portion\$1 or	USPAT;	2002/11/19 13:55
		segment\$1 or cell\$1) near10 function	EPO; JPO;	
		near10 value\$1 near10 counter\$1	DERWENT;	
			IBM_TDB	
-	12		USPAT;	2002/11/19 13:59
		near10 counter\$1	EPO; JPO; DERWENT;	
			IBM TDB	
-	1227	size\$1 near10 value\$1 near10 counter\$1	USPĀT;	2002/11/19 14:00
			EPO; JPO;	
			DERWENT;	
_	47	(size\$1 near10 value\$1 near10 counter\$1)	IBM_TDB USPAT;	2002/11/19 14:39
_	3,	and 709/\$.ccls.	EPO; JPO;	2002/11/15 11.55
			DERWENT;	
			IBM_TDB	
-	10	increas\$4 near10 size\$1 near10 (packet\$1	USPAT;	2002/11/19 14:09
		or segment\$1) near10 counter\$1	EPO; JPO; DERWENT;	
			IBM TDB	
_	26	determin\$6 near10 size\$1 near10 (packet\$1	USPĀT;	2002/11/19 14:16
		or segment\$1) near10 counter\$1	EPO; JPO;	
			DERWENT;	
_	252	size with determin\$6 with value\$1 with	IBM_TDB USPAT;	2002/11/19 14:39
-	252	counter\$1	EPO; JPO;	2002/11/19 14:39
1			DERWENT;	
			IBM_TDB	
1 -	10	(size with determin\$6 with value\$1 with	USPAT;	2002/11/19 14:40
1		counter\$1) and 709/\$.ccls.	EPO; JPO; DERWENT;	
			IBM TDB	
_	13	(size with determin\$6 with value\$1 with	USPAT;	2002/11/19 15:01
		counter\$1) and 370/\$.ccls.	EPO; JPO;	
	}	•	DERWENT;	
		gog with probatel with sizeel with	IBM_TDB	2002/11/10 15:05
_	0	qos with packet\$1 with size\$1 with threshold\$1 with counter\$1	USPAT; EPO; JPO;	2002/11/19 15:05
		CHICOHOTAGI WICH COMMONIA	DERWENT;	
I	I		IBM TDB	

_	0	qos near10 packet\$1 near10 size\$1 near10	USPAT;	2002/11/19 15:06
_		threshold\$1 near10 counter\$1	EPO; JPO;	
		CHICOHOLAGI MGALIO GGAMEGIT	DERWENT;	
			IBM TDB	
_	0	(qos or (quality near3 service\$1)) near10	USPAT;	2002/11/19 15:06
		packet\$1 near10 size\$1 near10 threshold\$1	EPO; JPO;	
		near10 counter\$1	DERWENT;	
			IBM TDB	
_	0	(sla or (service\$1 near3 agreement\$1))	USPAT;	2002/11/19 15:07
		near10 packet\$1 near10 size\$1 near10	EPO; JPO;	
		threshold\$1 near10 counter\$1	DERWENT;	
	1		IBM_TDB	
_	1	packet\$1 near10 size\$1 near10 threshold\$1	USPAT;	2002/11/19 15:10
		near10 counter\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	53	size\$1 near10 packet\$1 near10 value near10	USPAT;	2002/11/19 15:22
		(counter\$1 or register\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	65	1	USPAT;	2002/11/19 15:29
		near10 value near10 (counter\$1 or	EPO; JPO;	
		register\$1)	DERWENT;	
			IBM_TDB	
-	. 12	(size\$1 near10 (packet\$1 or message\$1)	USPAT;	2002/11/20 08:38
		near10 value near10 (counter\$1 or	EPO; JPO;	
		register\$1)) not (size\$1 near10 packet\$1	DERWENT;	
		near10 value near10 (counter\$1 or	IBM_TDB	!
1	1	register\$1))		